

PRODUCT DATA SHEET

Description


ONETHATCH™ Bamboo Panel is a decorative product simulating natural bamboo's appearance and three-dimensional shape with added durability and fire retardant. Wherever you installed it, you'll be amazed at how well it withstands extreme climate conditions, pest damage, and general wear & tear for decades while still looking fabulous.

Feature


- Fire and Weather Resistant
- Easy to Install
- Eco-Friendly (Non-PVC)
- Thickness
- Maintenance Free
- 20 Year Guarantee

Specification

Bamboo Panel (Round)




333 x 1800mm (1.1 x 6')



Bamboo Panel (Slat)



333 x 1800mm (1.1 x 6')



Bamboo Pole (Half-Round)




1800mm (6')




	WEIGHT	SIZE	COVERAGE	THICKNESS	MATERIAL
Bamboo Panel (Round)	5.29lb (2.4kg)	1.1 x 6' (333 x 1800mm)	6.394 Sq.ft (0.594 m ²)	2mm (0.079")	PA6
Bamboo Panel (Slat)	4.41lb (2.0kg)				
Bamboo Pole (Half-Round)	0.88lb (0.4 kg)	2.2" x 6' (55 x 1800mm)	6ft (1800mm)		

Variation


Color: ONETHATCH™ Bamboo Panel is offered in three tones as standard: “Young”, “Sundried”, and “Light Brown”. Colors with asterisk around the color name are special colors, subject to minimum order quantity. Contact us for more detail.




01. Young



02. Sundried



03. Olive*



04. Green*



05. Light Brown



06. Dark Brown*



07. Sesame*



08. Aged Green*



09. Aged Brown*

Note: The colors provided are a guide only. We recommend that you request samples from us for final color selection or approval.

Texture: ONETHATCH™ Bamboo Panel is offered in two hand painted textures: “Fresh” and “Aged”. Please help to advise us your preference.



01. Fresh



02. Aged

Fire Rated: Available in three models: “High FR”, “Medium FR” and “No FR”. “High FR” product has slow flame spread index and smoke developed index compared to “Medium FR” product.

ITEM NO.	Bamboo Panel (Round)	Bamboo Panel (Slat)	Bamboo Pole (Half-Round)
Young (No FR)	OT2150127N	OT2250127N	OT2155127N
Young (Med FR)	OT2150127	OT2250127	OT2155127
Young (High FR)	OT2150127F	OT2250127F	OT2155127F
Sundried (No FR)	OT2150089N	OT2250089N	OT2155089N
Sundried (Med FR)	OT2150089	OT2250089	OT2155089
Sundried (High FR)	OT2150089F	OT2250089F	OT2155089F
Light Brown (No FR)	OT2150686N	OT2250686N	OT2250686N
Light Brown (Med FR)	OT2150686	OT2250686	OT2155686
Light Brown (High FR)	OT2150686F	OT2250686F	OT2155686F

Material: ONETHATCH™ Bamboo Panel can be custom made ABS or ASA material for full container orders, please contact us for more information.

Packing

	PCS/CTN	N.W/CTN	CTN SIZE	CTN/CTR 20'GP	CTN/CTR 40'GP
Bamboo Panel (Round)	8	46.64lbs (20.7kg)	72.25 x 14.37 x 6.10" (1835 x 365 x 155mm)	305	625
Bamboo Panel (Slat)	11	51.81lbs (23.5kg)			
Bamboo Pole (Half-Round)	72	66.80lbs (30.3kg)			

Pallet: Pallet option is available for large quantity order, please contact us for more information. Do not remove the plastic wrapping from pallet until final placement at installation location.

Storage

Store ONETHATCH™ Bamboo Panel materials in a dry, well-ventilated location.

Do not expose cartons to excessive moisture.

Do not expose cartons from direct sunlight.

Excessive moisture may cause cartons to collapse.

Keep away from the heat source; handle with care.

Maintenance

ONETHATCH™ Bamboo Panel was designed so that no maintenance is needed to deliver the best performance. However, it is recommended to do an annual inspection.

Warranty

ONETHATCH™ Bamboo Panel has a 20-year limited warranty that covers sudden color fading in accordance with current warranty terms.

Note

The above product information is given to the best of our knowledge based on laboratory tests and practical experience. However, due to different applications, site conditions, and constraints beyond our control, we are not liable for any circumstances due to or relating to our products' application or usage. We reserve the right to alter or modify any data given without any prior notice. Therefore, it is best to contact us should you have any concerns or inquiries.

Contact

ONETHATCH™ products are manufactured by:

Xiamen Jinyang Industrial Co., Ltd.



Address: 8 Fengling 2nd Rd, Tong'an District, Xiamen, Fujian, China, 361100

Website: onethatch.com

Email: sales@onethatch.com

Tel: +1 352-284-9958