

## PRODUCT DATA SHEET

### Description


---

ONETHATCH™ Bamboo Pole is designed to replicate the appearance, three-dimensional surfaces and weathered textures of natural bamboo poles. Wherever you installed it, you'll be astonished at how well it withstands harsh climate conditions, pest damage, and general wear & tear for decades while still looking fabulous.

Note: ONETHATCH™ Bamboo Pole should not be used for support structures.

### Drawing

---



### Feature

---

- Fire and Weather Resistant
- Easy to Install
- Eco-Friendly (Non-PVC)
- Thickness
- Maintenance Free
- 10 Year Guarantee

## Specification

---



### **Dia 3" Synthetic Bamboo Pole**

Product Number: OT1075XXX  
 Size: 3OD x 20" (Dia 75 x 508mm)  
       2.48ID x 20" (Dia 63 x 508mm)  
 Thickness: 0.177" (4.5mm)  
 Weight: 1.33lb (0.60kg)  
 Material: ASA/HDPE



### **Dia 2.5" Synthetic Bamboo Pole**

Product Number: OT1065XXX  
 Size: 2.5OD x 20" (Dia 65 x 508 mm)  
       2ID x 20" (Dia 50.9 x 508mm)  
 Thickness: 0.177" (4.5mm)  
 Weight: 1.17lb (0.53kg)  
 Material: ASA/HDPE



### **Dia 2" Synthetic Bamboo Pole**

Product Number: OT1050XXX  
 Size: 2OD x 20" (Dia 50 x 508mm)  
       1.59ID x 20" (Dia 40.5 x 508mm)  
 Thickness: 0.158" (4mm)  
 Weight: 0.72lb (0.33kg)  
 Material: ASA/HDPE



### **Dia 1.5" Synthetic Bamboo Pole**

Product Number: OT1040XXX  
 Size: 1.5OD x 20" (Dia 40 x 508mm)  
       1.09ID x 20" (Dia 27.7 x 508mm)  
 Thickness: 0.138" (3.5mm)  
 Weight: 0.49lb (0.22kg)  
 Material: ASA/HDPE



### **Dia 1" Synthetic Bamboo Pole**

Product Number: OT1025XXX  
 Size: 1OD x 20" (Dia 25 x 508mm)  
       0.63ID x 20" (Dia 16.2 x 508mm)  
 Thickness: 0.138" (3.5mm)  
 Weight: 0.29lb (0.13kg)  
 Material: ASA/HDPE

## Variations

**Note:** The colors provided below are a guide only. We recommend that you request samples from us for final color selection or approval.



Sundried




Light Brown



Green

**Standard Color:** ONETHATCH™ Bamboo Pole is offered in three tones as standard: “Sundried”, “Light Brown”, and “Green”.



Young\*



Olive\*



Dark Brown\*



Transparent\*

**Special Color:** Colors with asterisk around the color name are special colors, subject to minimum order quantity. Contact us for more detail.

ITEM NO.	Dia 1"(25mm)	Dia 1.5"(40mm)	Dia 2"(50mm)	Dia 2.5"(65mm)	Dia 3"(75mm)
<b>Sundried Color (Standard Outdoor)</b>	OT1025089N	OT1040089N	OT1050089N	OT1065089N	OT1075089N
<b>Sundried Color (Premium Outdoor)</b>	OT1025089E	OT1040089E	OT1050089E	OT1065089E	OT1075089E
<b>Sundried Color (Fire-Resistant)</b>	OT1025089F	OT1040089F	OT1050089F	OT1065089F	OT1075089F
<b>Light Brown Color (Standard Outdoor)</b>	OT1025686N	OT1040686N	OT1050686N	OT1065686N	OT1075686N
<b>Light Brown Color (Premium Outdoor)</b>	OT1025686E	OT1040686E	OT1050686E	OT1065686E	OT1075686E
<b>Light Brown Color (Fire-Resistant)</b>	OT1025686F	OT1040686F	OT1050686F	OT1065686F	OT1075686F
<b>Green Color (Standard Outdoor)</b>	OT1025391N	OT1040391N	OT1050391N	OT1065391N	OT1075391N
<b>Green Color (Premium Outdoor)</b>	OT1025391E	OT1040391E	OT1050391E	OT1065391E	OT1075391E
<b>Green Color (Fire-Resistant)</b>	OT1025391F	OT1040391F	OT1050391F	OT1065391F	OT1075391F


**Fire Rated:** Available in built-in Fire Retardancy (ASTM E84 “A” Rated). “FR” product has slow flame spread index and smoke developed index.

**UV-Resistant:** Available in two models: “Standard Outdoor - HDPE”, and “Premium Outdoor-ASA”. “Premium Outdoor” product has great color fastness and UV-resistant compared to “Standard Outdoor” product.


**Texture:** ONETHATCH™ Bamboo Pole is offered in two hand painted textures: “Plain’, “Fresh” and “Aged”. Please help to advise us your preference.



01. Plain



02.Fresh



03. Aged

**End Cap:** The End Caps are available for all models to conceal the last threads and keep the elements out.

## Packing

	PCS/CTN	N.W./CTN	CTN SIZE	CTN/CTR 20' GP	CTN/CTR 40' GP
<b>Dia 25mm(1inch) Bamboo Pole</b>	256	27.10kg (59.75lbs)	450*450*450mm (17.7*17.7*17.7")	325	650
<b>Dia 40mm(1.5inches) Bamboo Pole</b>	104	21.00kg (46.3lbs)	550*550*330mm (21.6*21.6*13")	296	604
<b>Dia 50mm(2inches) Bamboo Pole</b>	60	20.80kg (45.9lbs)			
<b>Dia 65mm(2.5inches) Bamboo Pole</b>	32	17.9kg (39.46lbs)			
<b>Dia 75mm(3inches) Bamboo Pole</b>	28	16.80kg (37.04lbs)			

## Storage

Store ONETHATCH™ Bamboo Pole in a dry, well-ventilated location.

Do not expose cartons to excessive moisture.

Do not expose cartons from direct sunlight.

Excessive moisture may cause cartons to collapse.

Keep away from the heat source; handle with care.

## Maintenance

ONETHATCH™ Bamboo Pole was designed so that no maintenance is needed to deliver the best performance. However, it is recommended to do an annual inspection.

## Warranty

ONETHATCH™ Bamboo Pole (Premium Outdoor) has a 10-year limited warranty that covers sudden color fading in accordance with current warranty terms.

## Note

The above product information is given to the best of our knowledge based on laboratory tests and practical experience. However, due to different applications, site conditions, and constraints beyond our control, we are not liable for any circumstances due to or relating to our products' application or usage. We reserve the right to alter or modify any data given without any prior notice. Therefore, it is best to contact us should you have any concerns or inquiries.

## Contact

---

ONETHATCH™ products are manufactured by:

**Xiamen Jinyang Industrial Co., Ltd.**



Address: 8 Fengling 2nd Rd, Tong'an District, Xiamen, Fujian, China, 361100

Website: [onethatch.com](http://onethatch.com)

Email: [sales@onethatch.com](mailto:sales@onethatch.com)

Email: [info@jinyangindustry.com](mailto:info@jinyangindustry.com)

Tel: +1 352-284-9958